

17621 U.S. PTO
123003

00727 U.S. PTO
10/748817
123003

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of
TZU-YU WANG et al.

Group Art Unit:

Serial Number: to be assigned

Examiner:

Filed: December 30, 2003

Docket No. H0006571

For:

MODIFIED DUAL DIAPHRAGM
PRESSURE SENSOR

PATENT APPLICATION TRANSMITTAL LETTER

To the Commissioner of Patents and Trademarks:

Sir:

CLAIMS:

Total Claims Filed:	20- 20 = 0
Number Extra: 0	
Independent Claims Filed:	3- 3 = 0
Number Extra: 0	
BASIC FEE: \$750.00	
TOTAL:	\$770.00

Enclosed is check no. 5534 for \$770.00 for the filing fee.

SEND CORRESPONDENCE AND DIRECT TELEPHONE CALLS TO:


Kris T. Fredrick
Patent Services
Honeywell International Inc.
101 Columbia Road
Morristown, N.J. 07962

DATE: 30 December 2003

Respectfully submitted,
Tzu-Yu Wang et al.

By their Attorney

Telephone:
(763) 444-8296
FAX
(763) 444-8781


John S. Munday
Law Offices of John S. Munday
PO BOX 423
Isanti, MN 55040

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of
TZU-YU WANG et al.

Serial Number: to be assigned

Filed: December 30, 2003

For:

MODIFIED DUAL DIAPHRAGM
PRESSURE SENSOR

Group Art Unit:

Examiner:

Docket No. H0006571

CERTIFICATE OF EXPRESS MAILING

I hereby certify that the attached correspondence is being deposited with the United States Postal Service AS EXPRESS MAIL in an envelope addressed to: Mail Station New App, Commissioner for Patents, PO Box 1450, Alexandria, VA, 22323-1450, on the date appearing below.


DATE:

30 December 2003

Respectfully submitted,
TzuYu Wang et al

By their Attorney

Telephone:
(763) 444-8296
FAX
(763) 444-8781


John S. Munday
Law Offices of John S. Munday
PO BOX 423
Isanti, MN 55040

Registration Number 22,636